

DOT # Part Number	Seal Type	"OD" Overall Diameter		"OH" Overall Height		"ID" Seal Inside Diameter		Seal Outside Diameter		Seal Height		"BOD" Mounting Hole Distance	
		inches	mm	inches	mm	inches	mm	inches	mm	inches	mm	inches	mm
PS-1.5-A-8L	A	1.5	38.1	0.18	4.1	N/A	N/A	1.00	25.4	0.12	3.0	1.25	31.8
PS-2.0-A-8L		2.0	50.8	0.18	4.1	N/A	N/A	1.50	38.4	0.12	3.0	1.75	44.8
PS-3.0-A-8L		3.0	76.2	0.18	4.1	N/A	N/A	2.25	57.2	0.12	3.0	2.625	66.7
PS-3.0-A-25		3.0	76.2	0.18	4.1	0.25	6.4	2.25	57.2	0.12	3.0	2.625	66.7
PS-3.0-A-38		3.0	76.2	0.18	4.1	0.375	9.5	2.25	57.2	0.12	3.0	2.625	66.7
PS-3.0-A-50		3.0	76.2	0.18	4.1	0.50	12.7	2.25	57.2	0.12	3.0	2.625	66.7
PS-3.0-A-63		3.0	76.2	0.18	4.1	0.625	15.9	2.25	57.2	0.12	3.0	2.625	66.7
PS-3.0-A-75		3.0	76.2	0.18	4.1	0.75	19.1	2.25	57.2	0.12	3.0	2.625	66.7
PS-3.0-A-86		3.0	76.2	0.18	4.1	0.86	24.1	2.25	57.2	0.12	3.0	2.625	66.7
PS-3.0-A-118		3.0	76.2	0.21	5.3	1.18	30.0	2.388	60.6	0.17	4.3	2.625	66.7
PS-4.0-A-8L		4.0	101.6	0.10	2.5	N/A	N/A	3.0	76.2	0.08	1.5	3.625	92.1
PS-4.0-A-100		4.0	101.6	0.10	2.5	1.0	25.4	3.0	76.2	0.08	1.5	3.625	92.1
PS-4.0-A-180		4.0	101.6	0.10	2.5	1.8	45.7	3.0	76.2	0.08	1.5	3.625	92.1
PS-4.5-A-150		4.5	114.3	0.20	7.4	1.5	38.1	3.4	86.4	0.25	6.4	4.0	101.6
PS-4.5-A-212		4.5	114.3	0.29	7.4	2.12	53.8	3.4	86.4	0.25	6.4	4.0	101.6
PS-6.0-A-8L	6.0	152.4	0.10	2.5	N/A	N/A	5.0	127	0.08	1.5	5.5	139.7	
PS-2.0-B-42	B	2.0	50.8	1.15	29.2	0.418	10.6	1.2	30.5	1.11	28.2	1.75	44.8
PS-3.0-C-42	C	3.0	76.2	1.35	34.3	0.418	10.6	2.062	52.4	1.31	33.3	2.625	66.7
PS-1.5-D-8L	D	1.5	38.1	0.64	16.3	N/A	N/A	0.50	12.7	0.60	15.2	1.25	31.8
PS-2.0-D-8L		2.0	50.8	0.50	12.7	N/A	N/A	0.8	20.3	0.48	11.7	1.75	44.8

Product Sizes per Product Type:

- For hole diameters and cutouts from 1" to 5" (25.4mm to 127mm)
- For standard cable bundles or hose diameters from 0.25" to 1.5" (6.4mm to 38.1mm)
- Choose seal inside diameter that is 1/16" to 1/8" (1.59mm to 3.18mm) smaller than bundle/hose diameter.
- Largest bundle/hose diameter should be at least 3/8" (9.53mm) less than seal outside diameter.
- Custom solutions per application